



## EXPORT PRODUCT LIST

ISSUE DATE: OCT 2021

| ACTIVE INGREDIENT(S)                                      | DESCRIPTION   | W/W                | W/V                | FORMULATION TYPE |
|---|---|--------------------|--------------------|------------------|
| 2,4-D DMA   | 480 g /L 2,4-D, selective broadleaf herbicide                         | 39.8               | 46.4%              | SL               |
|   | 600 g /L 2,4-D, selective broadleaf herbicide                         | 49.8               | 60.0%              | SL               |
|   | 720 g /L 2,4-D DMA, selective broadleaf herbicide                     | 58.0%              | 72.0%              | SL               |
| 2,4-D DIMETHYLAMINE + DIETHANOLAMINE SALTS                | 625 g /L 2,4-D dual salt, selective broadleaf herbicide               | 49.5%              | 62.5%              | SL               |
| 2,4-D ETHYL HEXYL ESTER                                   | 680 g /L 2,4-D ester, selective broadleaf herbicide                   | 59.2%              | 68.0%              | EC               |
| 2,4-D IPA   | 450 g /L 2,4-D IPA, specifically for glyphosate IPA compatibility     | 39.0%              | 45.0%              | SL               |
| 2,4-D TRIISOPROPANILAMINE + PICLORAM TRIISOPROPOANOLAMINE | 300 g /L 2,4-D, 75 g/L Picloram, selective broadleaf herbicide        | 25.3%<br>+<br>6.3% | 30.0%<br>+<br>7.5% | SL               |
| AMETRYN   | 500 g/L Ametryn Pre- and Post-emergent selective herbicide            | 45.9%              | 50.0%              | SC               |
| CLETHODIM   | 240 g/L Clethodim, selective grass weed herbicide                     | 25.0%              | 24.0%              | EC               |
| CYHALOPOP-BUTYL   | 100 g/L Cyhalofop-Butyl selective grass weed herbicide for rice crops | 10.1%              | 10.0%              | EC               |
| DIURON  | 500 g/L Pre- and Post-emergent selective herbicide                    | 42.0%              | 50.0%              | SC               |



## EXPORT PRODUCT LIST

| <b>ACTIVE INGREDIENT(S)</b> | <b>DESCRIPTION</b>   | <b>W/W</b> | <b>W/V</b> | <b>FORMULATION TYPE</b> |
|-----------------------------|--|------------|------------|-------------------------|
| FLUROXYPYR MEPTYL ESTER     | 200 g/L Fluroxypyr, post-emergent broadleaf herbicide            | 20.5%      | 20.0%      | EC                      |
|                             | 333 g /L Fluroxypyr, high loaded post emergent herbicide         | 31.1%      | 33.3%      | EC                      |
| GLUFOSINATE AMMONIUM        | 60 g /L Glufosinate Ammonium, non-selective knockdown herbicide  | 5.66%      | 6.0%       | SL                      |
|                             | 150 g /L Glufosinate Ammonium, non-selective knockdown herbicide | 13.5%      | 15.0%      | SL                      |
| GLYPHOSATE IPA              | 200 g /L Glufosinate Ammonium, non-selective knockdown herbicide | 18.0%      | 20.0%      | SL                      |
|                             | 280 g /L Glufosinate Ammonium, non-selective knockdown herbicide | 24.5%      | 28.0%      | SL                      |
|                             | 110 g /L Glyphosate IPA, non selective systemic herbicide        | 10.2%      | 11.0%      | SL                      |
|                             | 220 g /L Glyphosate IPA, non selective systemic herbicide        | 20.0%      | 22.0%      | SL                      |
|                             | 345 g /L Glyphosate IPA, non selective systemic herbicide        | 29.8%      | 34.5%      | SL                      |
|                             | 355 g /L Glyphosate IPA, non selective systemic herbicide        | 30.3%      | 35.5%      | SL                      |



## EXPORT PRODUCT LIST

| <b>ACTIVE INGREDIENT(S)</b> | <b>DESCRIPTION</b>  | <b>W/W</b>         | <b>W/V</b>         | <b>FORMULATION TYPE</b> |
|-----------------------------|---|--------------------|--------------------|-------------------------|
| GLYPHOSATE IPA              | 410 g /L Glyphosate IPA, non selective systemic herbicide       | 30.5%              | 41.0%              | SL                      |
|                             | 450 g /L Glyphosate IPA, non selective systemic herbicide       | 37.5%              | 45.0%              | SL                      |
|                             | 500 g /L Glyphosate IPA, non selective systemic herbicide       | 40.7%              | 50.0%              | SL                      |
| GLYPHOSATE POTASSIUM        | 540 g /L Potassium Salt, non selective systemic herbicide       | 39.7%              | 54.0%              | SL                      |
| MCPA 2ETHYL HEXYL ESTER     | 570 g/L MCPA 2EH broadacre cereal selective herbicide           | 54.0%              | 57.0%              | EC                      |
| MCPA DMA                    | 750 g /L MCPA DMA selective broadleaf herbicide                 | 63.8%              | 75.0%              | SL                      |
| MCPA POTASSIUM              | 388 g /L MCPA Potassium rice herbicide                          | 33.0%              | 38.8%              | SL                      |
| MCPA + PICLORAM             | 420 g /L MCPA + 26 g /L Picloram broadacre herbicide            | 34.6%<br>+<br>2.2% | 42.0%<br>+<br>2.6% | SL                      |
| S-METOLACHLOR               | 960 g/L S-Metolachlor broad-spectrum pre-emergent herbicide     | 96.0%              | 96.0%              | EC                      |
| PARAQUAT DICHLORIDE         | 200 g /L Paraquat Dichloride, non-selective knockdown herbicide | 18.3%              | 20.0%              | SL                      |
|                             | 250 g /L Paraquat Dichloride, non-selective knockdown herbicide | 22.8%              | 25.0%              | SL                      |



## EXPORT PRODUCT LIST

| <b>ACTIVE INGREDIENT(S)</b>            | <b>DESCRIPTION</b>  | <b>W/W</b>         | <b>W/V</b>          | <b>FORMULATION TYPE</b> |
|--|---|--------------------|---------------------|-------------------------|
| PARAQUAT DICHLORIDE                    | 334 g /L Paraquat Dichloride, non-selective knockdown herbicide | 29.6%              | 33.4%               | SL                      |
| PROPANIL                               | 364 g/L Propanil rice herbicide                                 | 35.0%              | 36.4%               | EC                      |
|  | 364 g/L Propanil rice herbicide, non-flammable formulation      | 33.55%             | 36.0%               | EC                      |
| PROPANIL + MCPA                        | 269 g/L Propanil + 67 g/L MCPA rice herbicide                   | 26.0<br>+<br>6.5   | 26.9%<br>+<br>6.7%  | EC                      |
|  | 345 g/L Triclopyr broadleaf and brush control herbicide         | 23.1%              | 34.5%               | EC                      |
| TRICLOPYR BUTOXYETHYL ESTER            | 600 g /L Triclopyr broadleaf and brush control herbicide        | 50.0%              | 60.0%               | EC                      |
|  | 755 g /L Triclopyr broadleaf and brush control herbicide        | 60.4%              | 75.5%               | EC                      |
| TRICLOPYR BUTOXYETHYL ESTER + PICLORAM | 300 g/L Triclopyr + 100 g/L Picloram brush herbicide            | 26.4%<br>+<br>8.8% | 30.0%<br>+<br>10.0% | EC                      |
| PELARGONIC ACID RTU                    | 25 g/L Pelargonic Acid ready-to-use naturally based herbicide   | 2.5%               | 2.5%                | SL                      |



## EXPORT PRODUCT LIST

| <b>ACTIVE INGREDIENT(S)</b> | <b>DESCRIPTION</b>   | <b>W/W</b>   | <b>W/V</b>   | <b>FORMULATION TYPE</b> |
|-----------------------------|--|--------------|--------------|-------------------------|
| ABAMECTIN                   | 18 g/L Abamectin insecticide / acaricide                               | 2.0%         | 1.8%         | EC                      |
| ALPHA-CYPERMETHRIN          | 20 g/L Alpha-Cypermethrin synthetic pyrethroid                         | 2.27%        | 1.8%         | EC                      |
| BIFENTHRIN                  | 100 g/L Alpha-cypermethrin synthetic pyrethroid                        | 10.6%        | 10.0%        | EC                      |
| CHLORPYRIFOS                | 100 g/L Bifenthrin general purpose insecticide                         | 10.7%        | 10.0%        | EC                      |
| CHLORPYRIFOS + CYPERMETHRIN | 200 g/L Chlorpyrifos general purpose insecticide                       | 21.2%        | 20.0%        | EC                      |
| CYPERMETHRIN                | 400 g/L Chlorpyrifos general purpose insecticide                       | 38.7%        | 40.0%        | EC                      |
|                             | 500 g/L Chlorpyrifos general purpose insecticide                       | 45.2%        | 50.0%        | EC                      |
|                             | 500 g/L Chlorpyrifos + 50 g/L Cypermethrin general purpose insecticide | 45.9% + 4.6% | 50.0% + 5.0% | EC                      |
|                             | 50 g/L Cypermethrin synthetic pyrethroid                               | 5.5%         | 5.0%         | EC                      |
|                             | 55 g/L Cypermethrin synthetic pyrethroid in EW formulation             | 5.5%         | 5.5%         | EW                      |
|                             | 150 g/L Cypermethrin synthetic pyrethroid                              | 16.0%        | 15.0%        | EC                      |



## EXPORT PRODUCT LIST

| <b>ACTIVE INGREDIENT(S)</b>      | <b>DESCRIPTION</b>  | <b>W/W</b>       | <b>W/V</b>      | <b>FORMULATION TYPE</b> |
|----------------------------------|---|------------------|-----------------|-------------------------|
| CYPERMETHRIN                     | 166 g/L Cypermethrin synthetic pyrethroid in EW formulation       | 16.0%            | 16.6%           | EW                      |
| CYPERMETHRIN + DIMETHOATE        | 20 g/L Cypermethrin + 200 g/L Dimethoate combination insecticide  | 2.04% +<br>20.4% | 2.0% +<br>20.0% | EC                      |
| EMAMECTIN BENZOATE               | 17 g/L Emamectin Benzoate insecticide                             | 2.2%             | 1.7%            | EC                      |
| FIPRONIL                         | 50 g/L Fipronil broad-spectrum insecticide                        | 4.95%            | 5.0%            | SC                      |
| IMIDACLOPRID                     | 200 g/L Imidacloprid sucking insect control insecticide           | 18.3%            | 20.0%           | SC                      |
|                                  | 350 g/L Imidacloprid sucking insect control insecticide           | 30.2%            | 35.0%           | SC                      |
| LAMBDA-CYHALOTHRIN               | 25 g/L Lambda-Cyhalothrin synthetic pyrethroid                    | 2.8%             | 2.5%            | EC                      |
|                                  | 250 g/L Lambda-Cyhalothrin synthetic pyrethroid in CS formulation | 23.6%            | 25.0%           | CS                      |
| MALATHION                        | 990 g/L Malathion   | 84.0%            | 99.0%           | EC                      |
| CHILI BASED RTU INSECT REPELLANT | Capsaicin loaded insect repellent                                 | -                | -               | SL                      |



## EXPORT PRODUCT LIST

| <b>ACTIVE INGREDIENT(S)</b>    | <b>DESCRIPTION</b>                             | <b>W/W</b>          | <b>W/V</b>          | <b>FORMULATION TYPE</b> |
|--------------------------------|--|---------------------|---------------------|-------------------------|
| AZOXYSTROBIN                   | 250 g/L Azoxystrobin                           | 22.94%              | 25.0%               | SC                      |
| AZOXYSTROBIN + DIFENOCONAZOLE  | 200 g/L Azoxystrobin + 125 g/L Difenoconazole  | 18.5%<br>+<br>11.6% | 20.0%<br>+<br>12.5% | SC                      |
| AZOXYSTROBIN + EPOXICONAZOLE   | 120 g/L Azoxystrobin + 100 g/L Epoxiconazole   | 11.2%<br>+<br>9.5%  | 12.0%<br>+<br>10.0% | SC                      |
| CARBENDAZIM                    | 500 g/L Carbendazim                            | 42.0%               | 50.0%               | SC                      |
| CHLOROTHALONIL                 | 500 g/L Chlorothalonil                         | 40.0%               | 50.0%               | SC                      |
| DIFENOCONAZOLE                 | 250 g/L Difenoconazole                         | 24.8%               | 25.0%               | EC                      |
| DIFENOCONAZOLE + PROPICONAZOLE | 150 g/L Difenoconazole + 150 g/L Propiconazole | 13.9%<br>+<br>13.9% | 15.0%<br>+<br>15.0% | EC                      |
| EPOXICONAZOLE                  | 125 g/L Epoxiconazole                          | 11.90%              | 12.5%               | SC                      |
| FLUTRIAFOL                     | 250 g/L Flutriafol                             | 22.8%               | 25.0%               | SC                      |
|                                | 500 g/L Flutriafol                             | 42.0%               | 50.0%               | SC                      |



## EXPORT PRODUCT LIST

| <b>ACTIVE INGREDIENT(S)</b> | <b>DESCRIPTION</b>          | <b>W/W</b> | <b>W/V</b> | <b>FORMULATION TYPE</b> |
|-----------------------------|-----------------------------|------------|------------|-------------------------|
| PROPICONAZOLE               | 250 g/L Propiconazole       | 25.0%      | 25.0%      | EC                      |
|                             | 500 g/L Propiconazole       | 45.9%      | 50.0%      | EC                      |
| MANCOZEB                    | 800 g/KG Mancozeb           | 80.0%      | 80.0%      | WP                      |
| TEBUCONAZOLE                | 430 g/L Tebuconazole        | 38.3 %     | 43.0%      | EC                      |
| THIOPHANATE-METHYL          | 700 g/KG Thiophanate-methyl | 70.0%      | 70.0%      | WP                      |

**EXPORT PRODUCT LIST****TECHNICAL**

| <b>PRODUCT</b> | <b>ACTIVE INGREDIENT(S)</b>        |
|----------------|------------------------------------|
| 2,4-D 2EH 96%  | 2,4-D 2-Ethylhexyl Ester Technical |
| MCPA 2EH 95%   | MCPA 2-Ethylhexyl Ester Technical  |

**ADJUVANTS**

| <b>PRODUCT</b> | <b>ACTIVE INGREDIENT(S)</b>  | <b>USES</b>  |
|----------------|--|--|
| BUFFY          | 350 g/L Soyal Phosphorus + 350 g/L Propionic Acid                            | Surfactant, Penetrant, Acidifier, and Drift Retardant. |
| KOIL           | 582 g/L Paraffinic Oil + 240 g/L Nonyl Phenol Ethoxylate, Alcohol Ethoxylate | Spreader   |

**LIQUID FERTILISER**

| <b>PRODUCT</b> | <b>NPK</b>       | <b>USES</b>            |
|----------------|------------------|------------------------|
| VERDE          | 11 - 8 - 6 + TE  | Encourage plant growth |
| VERDE BLOOM    | 5 - 10 - 12 + TE | Encourage blooming     |

## **EXPORT PRODUCT LIST**

### **KENSO SUBSIDIARY IN CHINA**



## **FEATURE PRODUCTS**

### **HERBICIDES**

| <b>ACTIVE INGREDIENT(S)</b> | <b>DESCRIPTION</b>        | <b>W/V</b> | <b>FORMULATION TYPE</b> |
|-----------------------------|---------------------------|------------|-------------------------|
| THIOBENCARB                 | 500 g/L Thiobencarb       | 50.0%      | EC                      |
| TRIFLURALIN                 | 480 g/L Trifluralin       | 48.0%      | EC                      |
| QUIZALOFOP-P-ETHYL          | 50 g/L Quizalofop-p-ethyl | 5.0%       | EC                      |

### **INSECTICIDES**

| <b>ACTIVE INGREDIENT(S)</b> | <b>DESCRIPTION</b>                      | <b>W/V</b>   | <b>FORMULATION TYPE</b> |
|-----------------------------|---|--------------|-------------------------|
| EMAMECTIN BENZOATE          | 57 g/KG Emamectin Benzoate, insecticide | 5.7%         | WDG                     |
| IMIDACLOPRID                | 100 g/KG Imidacloprid, insecticide      | 10.0%        | WP                      |
| PROCHLORAZ + CARTAP         | 40 g/KG Prochloraz + 120 g/L Cartap     | 4.0% + 12.0% | WP                      |

### **FUNGICIDES**

| <b>ACTIVE INGREDIENT(S)</b> | <b>DESCRIPTION</b>     | <b>W/V</b> | <b>FORMULATION TYPE</b> |
|-----------------------------|------------------------|------------|-------------------------|
| MYCLOBUTANIL                | 120 g/L Myclobutanil   | 12.0%      | EC                      |
| PYRACLOSTROBIN              | 250 g/L Pyraclostrobin | 25.0%      | EC                      |
| TRICYCLAZOLE                | 750 g/KG Tricyclazole  | 75.0%      | WP                      |